



WWW.SMITTYBILT.COM

## Installation Instructions

*Sure Steps (Part # MN1440-4S)*

*2004-2005 Nissan Titan*

*Extended Cab 4 Door*

---

QTY	DESCRIPTION
1	Sure-Step, left side
1	Sure-Step, right side
1	hardware kit

**NOTE:** Please read this information before installing. Check components received with components listed above.

**NO DRILLING REQUIRED** for installation of these Sure-Step side bars. To obtain correct installation, we recommend you to follow these step by step installation instructions carefully. Please take care when installing this product to protect the finish and your investment.

**Step One:** Locate the hardware kit and check contents with the hardware list below.

QTY	DESCRIPTION
6	8mm x 25mm hex head bolt, zinc plated GR5
12	8mm flat washer, zinc plated
6	8mm lock nut, zinc plated
12	10mm-1.25 x 30mm hex head bolt, zinc plated GR8.8
12	10mm flat washer, zinc plated
12	10mm split lock washer, zinc plated
3	support bracket, left side-black
3	support bracket, right side-black

**Step Two:** Locate the driver side bar, three left side brackets, six 10mm hex bolts, six 10mm flat washers, and six 10mm lock nuts. Using the hardware listed in this step, secure the brackets to the side bar as shown in the photo below. Do not fully tighten hardware at this time.

**Step Three:** Locate three 8mm hex head bolts, six 8mm flat washers, and three 8mm split lock nuts. Using the hardware listed in this step secure the brackets to the side of the frame as shown in photo below. Fully tighten hardware at this time.

**For Technical Support/Warranty Information please call 310-762-9944**

---

**Smittybilt, 400 West Artesia Blvd, Compton, CA 90220**





WWW.SMITTYBILT.COM

## Installation Instructions

*Sure Steps (Part # MN1440-4S)*

*2004-2005 Nissan Titan*

*Extended Cab 4 Door*



**Step Four:** Repeat steps two and three on opposite side of vehicle.

Be sure to use all hardware supplied and tighten all bolts.

**IMPORTANT:** Sure-Step side bars have a 300 lb. weight capacity. To protect your investment, wax this product after installing. Regular waxing is recommended to add a protective layer over the finish.

### Product cleaning and maintenance instructions

**Stainless Steel Finish** – Aluminum polish may be used to polish small scratches and scuffs on the finish. Mild soap, window or glass cleaner may be used to clean the finish. **Dual state powder coat finish** – Mild soap, window or glass cleaner may be used to clean the finish. In order to protect the finish, you may wax your product on a regular basis with pure carnauba automotive wax. Do not use any types of soap, polish or was that contains abrasive that could damage the finish. **Textured coated finishes** should be cleaned with a mild soap on a damp sponge. Do not apply polish or was that requires to be removed by means of buffing. This type of wax is commonly used at car wash facilities.

**Chrome Finish** – Mild soap, window or glass cleaner may be used to clean the finish. In order to protect the finish you should wax your product on a regular basis with pure carnauba automotive wax. Do not use any types of soap, polish or was that contains abrasive that could damage the finish.

Smittybilt's products are covered under the following limited warranties only. Note that the duration of the limited warranty differs according to the material and finish of the product purchased. Subject to the duration and conditions of the limited warranty stated below, Smittybilt warrants to the original retail purchaser that its products are free from defects in material and workmanship. All other warranties and representations express or implied are hereby disclaimed, including fitness for merchantability and buyer's intended use or purpose. All parts are sold "AS IS" except for the limited warranties granted herein. Buyer assumes all risks as to the selection, suitability and performance of all goods and products selected. This limited warranty does not cover damage or impairment in any part due to misuse, improper installation, accident or contact with on-road or off-road hazards, product modification, improper or inadequate cleaning and/or maintenance. Smittybilt is not responsible for items damaged during shipping. This warranty is not transferable from the original buyer. For the original Buyer to be eligible for the limited warranty coverage, the Buyer must provide proof of purchase. Smittybilt strongly recommends returning the warranty registration card.

**For Technical Support/Warranty Information please call 310-762-9944**

**Smittybilt, 400 West Artesia Blvd, Compton, CA 90220**



WWW.SMITTYBILT.COM

## Installation Instructions

*Sure Steps (Part # MN1440-4S)*

*2004-2005 Nissan Titan*

*Extended Cab 4 Door*

Customer's remedy hereunder shall be limited only to repair or replacement (at Smittybilt's option) of any defective part(s) returned to Smittybilt at customer's expense. The determination of whether or not a returned part is defective or subject to coverage under the limited warranties stated herein shall be made at Smittybilt's sole discretion.

### Duration of Limited Warranty

#### **1. Limited Lifetime Warranty on Stainless Steel Products -**

Smittybilt stainless steel products carry the foregoing limited repair or replacement warranty **against workmanship and defects in the material** so long as the original purchaser retains the original stainless steel parts.

#### **2. Limited Five (5) Year / 50,000 Mile Pro-Rata Warranty (whichever occurs first) on Dual-Stage Powder Coating Products -**

Smittybilt dual-stage powder coated products carry the foregoing limited repair or replacement warranty for a period of (5) years or 50,000 miles (whichever occurs first) from date of purchase **against workmanship and defects in the material**, provided that any claim submitted after (2.5) years from date of purchase shall, if accepted, be satisfied by Smittybilt offering customer a credit on the purchase of a replacement product equal to fifty percent (50%) of customer's initial purchase price.

#### **3. Limited Three (3) Year / 36,000 Mile Pro-Rata Warranty (whichever occurs first) on Chrome Products -**

Smittybilt chrome products finished carry the foregoing limited repair or replacement warranty for a period of three (3) years or 36,000 miles **against workmanship and defects in the material** (whichever occurs first) from the date of purchase.

### Requesting Warranty Coverage

To make a claim under this limited warranty, customer must:

(1) Call Smittybilt, at (888) 717-5797 for a return authorization code (RAC) and/or Smittybilt may require photographic proof of defect before issuing an (RAC); (2) return the defective part, properly packaged to prevent further damage to the product, postage prepaid, together with dated proof of purchase receipt and identifying return authorization code (RAC) on the outside of the packaging to Smittybilt at 1600 Walnut Parkway, Compton, CA 90220. Warranty claims can not be determined until the returned merchandise is inspected. A minimum charge of fifteen percent (15%) may be added for all products which are determined to be returned for reasons other than warranty. Additional charges may be applied if merchandise is damaged or unsellable upon receipt.

**For Technical Support/Warranty Information please call 310-762-9944**

**Smittybilt, 400 West Artesia Blvd, Compton, CA 90220**